

BUILDING WRAP INSTALLED OVER STRUCTURAL PANEL BOARD SHEATHING

BRACKETS TO BE SECURED TO SPRUCE, PINE, OR FIR SPECIES WOOD FRAME WITH SPECIFIC GRAVITY OF NOT LESS THAN 0.42

FTS SUPPORT BRACKET

1/4"φ STAINLESS STEEL WOOD SCREWS TO PENETRATE NO LESS THAN 1 1/2" INTO BACKING WALL FRAMING

BRACKETS TO BE FASTENED TO FRAME WITH 1/4"φ STAINLESS STEEL WOOD SCREWS

WOOD FRAME BACKING WALL & DOOR HEADER SIZING & ASSEMBLY TO COMPLY w/ APPLICABLE PROVISIONS OF SECTION 2308 OF IBC & LOCAL BUILDING CODES

LINTEL BEARS ON LAG BOLTS FASTENED TO STRUCTURAL WOOD HEADER

METAL OR COMPOSITE LINTEL ANGLE SIZED PER OPENING & PANELS USED

WINDOW PER BUILDING & MANUFACTURER'S SPECS

2 7/8" TYPICAL

SPACERS TO BE INSTALLED AT ALL FASTENERS BETWEEN BACK OF BRACKET & FACE OF WALL SHEATHING SURFACE SERVING AS DRAINAGE PLANE

FASTENERS TO BE INSTALLED A MINIMUM OF 3/8" FROM TOP & BOTTOM BRACKET EDGES & A MINIMUM OF 1" FROM BRACKETS ENDS AT A MAXIMUM HORIZONTAL SPACING OF 18" APART

FTS SUPPORT CLIP

PROVIDE FLASHING BEHIND SHEATHING OVER TOP OF SUPPORTING LINTEL ANGLE

VARIES PER COURSE

3 5/8" MAX.

MINIMUM 1" HIGH WEEP HOLES TO BE PROVIDED FOR DRAINAGE AT EACH VERTICAL JOINT BETWEEN PANELS SET ON LINTEL

"L" HEAD END PANEL INSTALLED VERTICAL, ADHERED TO LINTEL w/ MASTIC AT BOTTOM & ATTACHED TO SUPPORT BRACKET AT TOP w/ CLIPS SET IN FIELD CUT KERFS

## ALTERNATIVE WINDOW HEAD A SECTION VIEW

SCALE: 3"=1'-0"

DATE: 5-2-11

DRAWN BY: B. CARTER

JOB NO.: RC-028-11

PROJ.: FTS WOOD DET.S SHEET: 13 OF 30

ACAD FILE: FTS-A001.DWG

# FAST TRACK STONE SYSTEM™

Innovative Building Products, Inc. • P.O. Box 425 Fort Worth, TX 76101  
 Phone: (800) 932-2263 • Fax: (817) 332-1406  
 Plant • 206 Dotson St. Denton, TX 76205